

HLK-4600

Camera Boom Arm




Features

- Designed for inspection of pipelines up to 1 metre
- Camera position stable throughout entire 120° angular movement of arm
- Camera mount can be tilted through 120°

Specification

Dimensions	Length of arm	1350mm
	Height	310mm
	Width	120mm
Movement Range	Up / Down	70-0-50°
	Left / Right	90-0-30°
	Camera Tilt / Roll	60-0-60°
Weight	Weight in air	14.0Kg
	Weight in water	9.0Kg
Construction		316 SS HE 30 Hard Anodised Aluminium Polyethylene

FOR SLEW PLATE FIXING DETAIL SEE DRG. CMR 5330



SPECIFICATION

OVERALL LENGTH 1625
 OVERALL HEIGHT 310
 OVERALL WIDTH 120
 WORKING PRESSURE 210 BAR
 WEIGHT IN AIR 21.0 KG (APPROX)
 WEIGHT IN WATER 14.0 KG (APPROX)
 MATERIALS: -
 HE 30 HARD ANODISED ALUMINIUM
 316 ST. STEEL
 NYLON 66
 POLYETHYLENE
 1/8" NPT / 7/16" SAE

PORTS: -

HYDRO-LEK LTD.	CAMERA BOOM
ISS. DATE: -	MAT: -
CHKD BY: -	REV. NO: - 3
DRAWN BY: - Jo 13/4/10	DRG. NO: - HLK 4600/DATA

